

Physikalisch-Technische Bundesanstalt

Braunschweig und Berlin



(1) **EC-TYPE-EXAMINATION CERTIFICATE** (Translation)

(2) Equipment and Protective Systems Intended for Use in Potentially Explosive Atmospheres - **Directive 94/9/EC**



(3) EC-type-examination Certificate Number:

PTB 99 ATEX 1042 U

(4) Component: Flange-mounting socket-outlet type GHG 512 8... R....

(5) Manufacturer: CEAG Sicherheitstechnik GmbH

(6) Address: D-69412 Eberbach

(7) This component and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.

(8) The Physikalisch-Technische Bundesanstalt, notified body No. 0102 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this component has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres, given in Annex II to the Directive.

The examination and test results are recorded in the confidential report PTB Ex 99-19128.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 50014:1997

EN 50018:1994

EN 50019:1994

(10) The sign "U" placed behind the certificate number indicates that this certificate should not be confounded with certificates issued for equipment or protective systems. This Component Certificate only serves as a basis for the issuing of certificates for equipment or protective systems.

(11) This EC-type-examination Certificate relates only to the design and construction of the specified component in accordance with Directive 94/9/EC. Further requirements of this Directive apply to the manufacture and supply of this component.

(12) The marking of the component shall include the following:




II 2 G EEx ed IIC

Zertifizierungsstelle Explosionsschutz

Braunschweig, September 01, 1999

By order:


Dr.-Ing. U. Klausmeyer
Regierungsdirektor



sheet 1/3

EC-type-examination Certificates without signature and official stamp shall not be valid. The certificates may be circulated only without alteration. Extracts or alterations are subject to approval by the Physikalisch-Technische Bundesanstalt. In case of dispute, the German text shall prevail.

Physikalisch-Technische Bundesanstalt

Braunschweig und Berlin

SCHEDULE

(13)

(14) **EC-TYPE-EXAMINATION CERTIFICATE PTB 99 ATEX 1042 U**

(15) Description of component

The type GHG 512 8... R ... flange-mounting socket-outlet serves to connect portable electrical apparatus in potentially explosive atmospheres.

Staggered grooves guarantee that only plugs or socket outlets of identical rated voltage will be used together. Mechanical marking ensures that the plugs of the type GHG 532... V ... plug-and-socket device (Certificate of Conformity PTB No. Ex-85.B.1066) can be used for the flange-mounting socket-outlet.

Electrical data

Rated voltage	up to	750	V
Rated current.....	max.	32	A
Utilization category		AC-3	

In accordance with the relevant provisions, rated values other than those stated above are permissible, provided the making and breaking capacity is complied with. They have been specified by the manufacturer, dependent on the mode of operation, utilization category etc.

Nominal frequency.....	up to	400	Hz
Rated cross-section			
Flange-mounting socket-outlet... max.		4	mm ²⁺

(16) Report PTB Ex 99-19128, description (4 sheets), Annex to the description (3 sheets), 2 drawings

(17) Special conditions for safe use

not applicable

sheet 2/3

EC-type-examination Certificates without signature and official stamp shall not be valid. The certificates may be circulated only without alteration. Extracts or alterations are subject to approval by the Physikalisch-Technische Bundesanstalt. In case of dispute, the German text shall prevail.

Physikalisch-Technische Bundesanstalt

Braunschweig und Berlin


SCHEDULE TO EC-TYPE-EXAMINATION CERTIFICATE PTB 99 ATEX 1042 U

(18) Essential health and safety requirements

The tests carried out and their positive results show that the flange-mounting socket-outlet meets the requirements of Directive 94/9/EC and of the standards stated on the cover sheet.

Zertifizierungsstelle Explosionsschutz

By order:


Dr.-Ing. U. Klausmeyer
Regierungsdirektor



Braunschweig, September 01, 1999

sheet 3/3

EC-type-examination Certificates without signature and official stamp shall not be valid. The certificates may be circulated only without alteration. Extracts or alterations are subject to approval by the Physikalisch-Technische Bundesanstalt. In case of dispute, the German text shall prevail.