


## Accessories for Ex-cable glands ADE



Lead sheath washer



Strain clamp



PVC-Shroud

3

### Accessories for cable glands type ADE

Type ADE	Ø D/mm	OU	Order No.
<b>Ordering details shrouds for cable glands</b>			
4	16	10	<b>CAP 506 040</b>
5	20	10	<b>CAP 506 050</b>
6	25	10	<b>CAP 506 060</b>
7	31	10	<b>CAP 506 070</b>
8	43	10	<b>CAP 506 080</b>
9	52	10	<b>CAP 506 090</b>
10	59	10	<b>CAP 506 100</b>
11	67	10	<b>CAP 506 110</b>
12	75	10	<b>CAP 506 120</b>
13	90	10	<b>CAP 506 130</b>
14	100	10	<b>CAP 506 140</b>
15	116	10	<b>CAP 506 150</b>
16	127	10	<b>CAP 506 160</b>

Type ADE	for cable Ø mm	for A/F	B mm	C mm	Weight approx. kg	OU	Order No.
<b>Ordering details for strain clamp</b>							
4	4 – 8.5	17	20	5	0.0085	1	<b>CAP 810 444</b>
5	6 – 12	19	22	5	0.007	1	<b>CAP 810 534</b>
6	8.5 – 16	24	27.5	6	0.015	1	<b>CAP 810 634</b>
7	12 – 21	30	33.5	8	0.028	1	<b>CAP 810 734</b>
8	16 – 27.5	41	45	8	0.044	1	<b>CAP 810 834</b>
9	21 – 34	48	52	9.5	0.061	1	<b>CAP 810 934</b>
10	27 – 41	55	59	9.5	0.069	1	<b>CAP 811 034</b>
11	33 – 48	64	69	12	0.13	1	<b>CAP 811 134</b>
12	40 – 56	72	78	12	0.16	1	<b>CAP 811 234</b>
13	47 – 65	85	92	16	0.37	1	<b>CAP 811 334</b>
14	54 – 74	95	103	16	0.42	1	<b>CAP 811 434</b>
15	63 – 83	110	118	18	0.64	1	<b>CAP 811 534</b>
16	72 – 93	120	128	18	0.68	1	<b>CAP 811 634</b>

Type ADE	for outer lead sheath Ø mm	A mm	H mm	Weight/g	OU	Order No.
<b>Ordering details lead sheath washer for use with lead cables in combination with ADE 4F glands</b>						
5	4.5 – 7.5	10	3.2	0.25	10	<b>CAP 560 530</b>
6	7 – 11	13.9	4	0.3	10	<b>CAP 560 630</b>
7	10 – 15	18.3	4.8	0.6	10	<b>CAP 560 730</b>
8	13.5 – 20	23.8	5.7	0.9	10	<b>CAP 560 830</b>
9	18 – 26.5	31	7.2	1.5	10	<b>CAP 560 930</b>
10	23 – 32.5	38.3	8.2	2.8	10	<b>CAP 561 030</b>
11	29 – 39.5	45.3	8.8	3.8	10	<b>CAP 561 130</b>
12	35 – 46.5	52.8	9.5	5.8	10	<b>CAP 561 230</b>
13	42 – 54.5	60.8	10.1	7.3	10	<b>CAP 561 330</b>
14	50 – 61	71	11.4	11	10	<b>CAP 561 430</b>
15	58 – 72.5	80.5	12.6	14.5	10	<b>CAP 561 530</b>
16	66 – 81.5	89.5	12.6	14.5	10	<b>CAP 561 630</b>

Cable glands with PG-thread are available on request.

The order No. will show 1 pcs.

Please note that only order units (OU) can be ordered.



Lock nut



Earth tag

Accessories for cable glands type ADE

Thread	Dimensions A mm	B mm	ØC mm	ØD mm	E mm	Weight approx. kg	OU	Order No.
<b>Ordering details earth tag for glands</b>								
M12 x 1.5 ISO	48.75	30	6.75	24.5	13	0.008	10	<b>CAP 567 024</b>
M16 x 1.5 ISO	48.75	30	6.75	24.5	13	0.008	10	<b>CAP 567 034</b>
M20 x 1.5 ISO	53.8	33	7	28.6	13	0.008	10	<b>CAP 567 054</b>
M25 x 1.5 ISO	61.5	36	10.5	34	17	0.011	10	<b>CAP 567 074</b>
M32 x 1.5 ISO	73	41	12.2	42	22	0.015	10	<b>CAP 567 094</b>
M40 x 1.5 ISO	86.5	44.5	13.5	54	30	0.025	1	<b>CAP 567 124</b>
M50 x 1.5 ISO	111.5	58	13.5	67	40	0.041	1	<b>CAP 567 154</b>
M63 x 1.5 ISO	125.5	67	13.5	77	40	0.044	1	<b>CAP 567 184</b>
3/8" NPT	53.8	33	7	28.6	13	0.008	10	<b>CAP 567 044</b>
1/2" NPT	61.5	36	10.5	34	17	0.008	10	<b>CAP 567 064</b>
3/4" NPT	73	41	12.2	42	22	0.008	10	<b>CAP 567 084</b>
1" NPT	73	41	12.2	42	22	0.011	10	<b>CAP 567 104</b>
1 1/4" NPT	86.5	44.5	13.5	54	30	0.015	10	<b>CAP 567 134</b>
1 1/2" NPT	111.5	58	13.5	67	40	0.025	1	<b>CAP 567 154</b>
2" NPT	125.5	67	13.5	77	40	0.041	1	<b>CAP 567 174</b>
2 1/2" NPT	137.5	73	13.5	89	40	0.044	1	<b>CAP 567 194</b>


Thread ISO/NPT	A/F mm	L mm	OU	Order No.
<b>Ordering details lock nut CuZn gal. Ni</b>				
M12 x 1.5 ISO	14	2.8	10	<b>CAP 221 294</b>
M16 x 1.5 ISO	18	2.8	10	<b>CAP 221 694</b>
M20 x 1.5 ISO	23	3.0	10	<b>CAP 222 094</b>
M25 x 1.5 ISO	28	3.0	10	<b>CAP 222 594</b>
M32 x 1.5 ISO	36	3.5	10	<b>CAP 223 294</b>
M40 x 1.5 ISO	44	4.0	10	<b>CAP 224 094</b>
M50 x 1.5 ISO	54	5.0	10	<b>CAP 225 094</b>
M63 x 1.5 ISO	70	6.0	10	<b>CAP 226 394</b>
1/4" NPT	16	2.8	10	<b>CAP 280 104</b>
3/8" NPT	20	2.8	10	<b>CAP 280 114</b>
1/2" NPT	24	3.5	10	<b>CAP 280 124</b>
3/4" NPT	30	3.5	10	<b>CAP 280 134</b>
1" NPT	37	4.5	10	<b>CAP 280 144</b>
1 1/4" NPT	47	4.5	10	<b>CAP 280 154</b>
1 1/2" NPT	52	5.0	10	<b>CAP 280 164</b>
2" NPT	64	5.5	10	<b>CAP 280 174</b>
2 1/2" NPT	77	6.5	10	<b>CAP 280 184</b>
3" NPT	95	8.0	10	<b>CAP 280 194</b>
3 1/2" NPT	110	10.0	10	<b>CAP 280 204</b>
4" NPT	120	11.0	10	<b>CAP 280 214</b>

Cable glands with PG-thread are available on request.

The order No. will show 1 pcs.

Please note that only order units (OU) can be ordered.

## Accessories for Ex-cable glands ADE



Gasket

3

### Accessories for cable glands type ADE


Thread	Ø D mm	L mm	OU	Order No. fibrous material	Order No. neopren
<b>Ordering details gasket for glands</b>					
M12	18	1.2	10	CAP 221 245	CAP 221 249
M16	22	1.2	10	CAP 221 645	CAP 221 649
M20	24	1.2	10	CAP 222 045	CAP 222 049
M25	30	1.5	10	CAP 222 545	CAP 222 549
M32	42	1.5	10	CAP 223 245	CAP 223 249
M40	52	1.5	10	CAP 224 045	CAP 224 049
M50	63	1.5	10	CAP 225 045	CAP 225 049
M63	77	2.0	10	CAP 226 345	CAP 226 349
1/4"	20	1.5	10	CAP 239 014	CAP 229 014
3/8"	22	1.5	10	CAP 239 038	CAP 229 038
1/2"	27	1.5	10	CAP 239 012	CAP 229 012
3/4"	33	1.5	10	CAP 239 034	CAP 229 034
1"	41	1.5	10	CAP 239 010	CAP 229 010
1 1/4"	52	1.5	10	CAP 239 114	CAP 229 114
1 1/2"	57	1.5	10	CAP 239 112	CAP 229 112
2"	71	2.0	10	CAP 239 020	CAP 229 020
2 1/2"	85	2.0	10	CAP 239 212	CAP 229 212
3"	104	2.0	10	CAP 238 049	CAP 229 300
3 1/2"	120	2.0	10	CAP 239 312	CAP 229 312

Cable glands with PG-thread are available on request.

The order No. will show 1 pcs.

Please note that only order units (OU) can be ordered.

### Dimension drawing



Dimensions in mm