



X90 Static Grounding Clamp



The robust construction of the X90 is the perfect solution for earthing and bonding in Heavy Duty Industrial Environments.

Hard wearing **Tungsten Carbide Tips** penetrate hardened layers of coatings, dirt and rust which can **Inhibit Safe Static Dissipation**



The X90 can be purchased on 6m (20ft), 9m (30ft) and 15m (50ft) **Retractable Cable Reels**

The X90 can be purchased with 3m (10ft), 5m (16ft) or 10m (32ft) of **Cen-Stat GREEN or ORANGE Retractable Spiral Cable**



The X90 can safely dissipate static from a broad range of plant equipment including:

- Large Containers and Drums
- Tanks
- IBCs
- Mobile Tankers
- Railcar Wagons

The X90 clamp forms part of the Cen-Stat range of Static Grounding and Bonding Equipment available from Newson Gale



Leading the way in hazardous area static control

www.newson-gale.com

Newson Gale Inc
460 Faraday Avenue
Unit B, Suite 1
Jackson, NJ 08527
USA

Tel: +1 732 987 7715

Fax: +1 732 791 2182

Email: groundit@newson-gale.com

Newson Gale Ltd
Omega House
Private Road 8
Colwick, Nottingham
NG4 2JX, UK

Tel: +44 (0)115 940 7500

Fax: +44 (0)115 940 7501

Email: groundit@newson-gale.co.uk

Sales: Malux Finland Oy, P.O.Box 69, FI-06151 Porvoo, Phone +358 19 574 5700, Fax +358 19 574 5750, info@malux.fi, www.malux.fi